maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collecti- this burden, to Washington Headqu- uld be aware that notwithstanding an OMB control number.	on of information. Send comment arters Services, Directorate for Info	s regarding this burden estimate or formation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
REPORT DATE 2. REPORT TYPE			3. DATES COVERED 00-00-2008 to 00-00-2008			
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
The International Arctic Buoy Programme (IABP): A Cornerstone of the Arctic Observing Network				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington,Polar Science Center,Applied Physics Laboratory,Seattle,WA,98105-6698 8. PERFORMING ORGANIZATION REPORT NUMBER						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
	otes 76. Presented at the 5-18 September 2008		s 2008 Conference	e and Exhibit	ion held in Quebec	
14. ABSTRACT see report						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER OF PAGES	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188

The International Arctic Buoy Programme (IABP): A Cornerstone of the Arctic Observing Network

Ignatius G. Rigor
Polar Science Center, Applied Physics Laboratory, University of Washington
Seattle, Washington, USA

Pablo Clemente-Colón National/Naval Ice Center, Washington, D.C., USA

Ed Hudson Meteorological Service of Canada, Edmonton, Alberta, Canada

Abstract-The Arctic has undergone dramatic changes in weather, climate and environment. It should be noted that many of these changes were first observed and studied using data from the IABP (http://iabp.apl.washington.edu). For example, IABP data were fundamental to Walsh et al. (1996) showing that atmospheric pressure has decreased (Figure 1), Rigor et al. (2000) showing that air temperatures have increased (Figure 2), and to Proshutinsky and Johnson (1997); Steele and Boyd, (1998); Kwok, (2000); and Rigor et al. (2002) showing that the clockwise circulation of sea ice and the ocean has weakened (Figure 1). All these results relied heavily on IABP data.

In addition to supporting these studies of climate change, the IABP observations are also used to validate satellite retrievals of environmental variables, to force, validate and initialize numerical models, and to forecast weather (e.g. Figure 3) and ice conditions. Over 600 papers have been written using data from the IABP. The observations and datasets of the IABP are one of the cornerstones for environmental forecasting and research in the Arctic.

Simply maintaining the network may be the biggest challenge for the IABP given the changes in climate. The winds tends to blow the buoys away from the Eurasian coast more quickly (Figure 1), and the decline of sea ice requires the development of more robust equipment that may survive the annual freeze/thaw cycles (Figure 4).

This talk summarizes the operations, some recent research, and the challenges facing IABP up through the International Polar Year, and beyond.




Figure 1. Mean field of SLP and ice motion for 1979–1986 (left), 1987-1994 (middle), and the difference between these two 8-year periods (right). These figures show a cyclonic anomaly in circulation (Adapted from Walsh, et al., 1996; Rigor, et al., 2002).




Figure 2. Seasonal Trends in surface air temperature derived from buoy data (Adapted from Rigor et al., 2000).




Figure 3. Analyzed field of surface air pressure for March 18, 2008.




Figure 4. Schematic of a prototype Airborne eXpendable Ice Buoy (AXIB), that designed to be deployed by air, and survive the annual freeze/thaw cycles in the larger areas of season ice in the Arctic Ocean. E.g. the map on the left shows the ice concentrations on October 12, 2007 just after the record minimum ice extent set in September 2007. Note the dearth of buoys in the areas of open, ice-free ocean (red arrow).